

Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the Lowest Total Cost of Ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.

Available options

- Completely stainless steel version
- 1.000 bags in store
- High speed version (servo driven), up to 18-20 boxes per minute
- Tight bag placing
- Data printing/label application on bag
- Bags: 45° bottom cross seal*
- Motorised setting for case erector
- Extended or shortened blank magazine
- Hotmelt bottom flap closing (retaining taper function)

*Result: bags with square bottoms to prevent that your product stays behind in the corners of the film

Box sizes

Suited for a wide variety of box sizes

	minimum	maximum
Length (L)	300 mm (11.8")	620 mm (24.4")
Width (W)	200 mm (7.8")	450 mm (17.7")
Height (H)	60 mm (2.3")	350 mm (13.8")
Height (C)	200 mm (7.8")	500 mm (19.7")



Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands

Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube [youtube.com/niverplast](https://www.youtube.com/niverplast)



Check out our video about the **CombiPlast** online!



CombiPlast

Case erecting
and bag placing

IMPROVE BUSINESS TOGETHER


niverplast.com

CombiPlast

Case erecting and bag placing



Let's improve your business together with the CombiPlast. You'll be as happy with Niverplast as we are. We guarantee you Lowest Total Cost of Ownership. The CombiPlast is a high quality packaging solution for integrated case erecting and bag placing in one.



Challenge us!

Custom build? Extra options? That's what we do best.



Specifications

- Up to 20 boxes per minute
- Two sided blank opening ensuring a square box
- Processes prefabricated EasyOpen bags down to 10 µm (because sealing is not necessary)
- Easy and very simple to operate
- 24/7 non-stop production
- Quick box size change over
- Add and adjust recipes for each box size
- Left- or righthanded version
- On-screen HD visualisation of warnings and possible machine functions
- Reliable, low maintenance, cost efficient
- Operates stand-alone as well as in any automatic production line

5 steps

How the CombiPlast works



1 Box folding



2 Bottom flap folding



3 Bag opening



4 Bag spreading



5 Bag inserting

Hi, my name is Erwin

+31 6 48 92 77 42
e.smit@niverplast.com



A perfect fit for all your box and bag sizes.

Compact design

One of the most compact case erector/bag inserter in the world

24-hours non-stop

Bag and box refill without any production stop at all

Lowest cost

Guaranteed lowest total cost of ownership



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Scan the QR code to check out the CombiPlast



Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the lowest total cost of ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.



Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands



Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube [youtube.com/niverplast](https://www.youtube.com/niverplast)

Scan the QR code to check out
our bags & consumables

IMPROVE BUSINESS TOGETHER

EasyOpen
Manual bag
placing

niverplast.com

EasyOpen

Manual bag placing

In combination with the ingenious EasyOpen Stand, you will increase your productivity up to 50% compared to manual bag handling and you will gain more happy employees. The EasyOpen stand makes the work more ergonomic and efficient. Work fast with minimal effort!



Challenge us!

Other film material?
film reduction
or other options?
That's what we do best.



2 steps

How the EasyOpen works



① Bag opening



② Bag inserting

20% less material needed

Prefab is better, simpler, cheaper and more cost effective than bags on a roll

Highest quality

The bags are produced by a certified manufacturer

Thinnest film

We can handle bags with a thickness of only 10 microns

Highly efficient

Open and place the bag in one movement

Hi, my name is Rieneke

+31 5 48 53 83 80
r.brandriet@niverplast.com



Specifications

- HDPE, MDPE, LDPE & BARRIER material
- BioBased bags
- Gusseted and flat bags
- Different colours
- Customized (print) bags
- All sizes



Check out our video about the **EasyOpen** online!

- T-shirt bags
- Client specific calculation bag size for a perfect fit
- 45° bottom cross seal or double bottom seal

A perfect fit for all your box and bag sizes.

Save up to 50% time

The fastest way for manual bag placing

Ergonomic and flexible

The supports are adjustable in height

Hygienic

No more bags and reels on the ground and blister free



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Scan the QR code to check out the EasyOpen



Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the Lowest Total Cost of Ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.

Available options

- Add and adjust recipes for each box size
- Up to 25 boxes, crates or buckets per minute
- Completely stainless steel version
- Data printing/label application on bag
- 1.000 bags in store
- High speed version (servo driven)
- Tight bag placing
- Upper flap folding 180° before bag placing
- Bags: 45° bottom cross seal*
- Inspection door and bag store door in one, so you can place the machine against a wall

*Result: bags with square bottoms to prevent that your product stays behind in the corners of the film

Box sizes

Suited for a wide variety of box sizes

	minimum	maximum
Length (L)	300 mm (11.8")	620 mm (24.4")
Width (W)	200 mm (7.8")	450 mm (17.7")
Height (H)	60 mm (2.3")	350 mm (13.8")
Height (C)	200 mm (7.8")	500 mm (19.7")



Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands

Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube [youtube.com/niverplast](https://www.youtube.com/niverplast)



Check out our video about the **EasyPlast** online!



EasyPlast
Bag placing

IMPROVE BUSINESS TOGETHER


niverplast.com

EasyPlast

Bag placing



Let's improve your business together with the EasyPlast. You'll be as happy with Niverplast as we are. We guarantee you Lowest Total Cost of Ownership. The EasyPlast is a high quality packaging solution for automatic bag placing.



Challenge us!

Custom build? Extra options? That's what we do best.



5 steps

How the EasyPlast works



① Product carrier input



② Bag opening



③ Bag spreading



④ Bag inserting



⑤ Bag in box

Hi, my name is Jeffrey

+31 6 10 99 01 54
j.schapink@niverplast.com



A perfect fit for all your box and bag sizes.

Easy

Easy and very simple to operate

24-hours non-stop

Bag refill without any production stop

Fast

Up to 25 boxes, crates or buckets per minute

Specifications

- Processes prefabricated EasyOpen bags down to 10 µm (because sealing is not necessary)
- 24/7 non-stop production
- Quick size change-over
- Add and adjust recipes for each box size
- Very compact design
- Left- or righthanded version
- On-screen HD visualisation of warnings and possible machine functions
- Reliable, low maintenance, cost efficient
- Operates stand-alone as well as in any automatic production line
- Guaranteed lowest Total Cost of Ownership



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Scan the QR code to check out the EasyPlast



Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the Lowest Total Cost of Ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.

The Linear Weigh filler can fill various small products, like:



Candy

Nuts

Others



Solid products

Dried fruits

Frozen fruits

Box sizes

The linear weigh filler is suited for (almost) all box sizes.



Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands

Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube [youtube.com/niverplast](https://www.youtube.com/niverplast)



Check out our video about the **Linear Weigh Filler** online!



Linear Weigh Filler
Filling by weight

IMPROVE BUSINESS TOGETHER


niverplast.com

Linear Weigh Filler

Filling by weight



Let's improve your business together with the Linear Weigh Filler. You'll be as happy with Niverplast as we are. We guarantee you Lowest Total Cost of Ownership. The Linear Weigh Filler is a high quality packaging solution for filling by weight.



Challenge us!

Custom build? Extra options? That's what we do best.



Specifications

- Minimum give-away
- High capacity (up to 12+ boxes per minute)
- High accuracy
- Self learning
- Completely executed in stainless steel
- Hygienic design
- Modular and flexible



Hi, my name is Tim

+31 6 28 29 81 08
t.voortman@niverplast.com

6 steps

How the Linear Weigh Filler works



1 Box infeed




2 Box positioning



3 Start gross filling



4 Fine dosing



5 Correct weight reached



6 Box discharge



Suited for boxes, crates, buckets and more

Self-learning

Self-learning system

Easy to operate

No manual settings by change over product/packaging

Straight forward

Easy access for maintaining and cleaning



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Scan the QR code to check out the Linear Weigh Filler



Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the lowest total cost of ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.

Available options

- With a fixed vertical filling position (SEPP90) or with a filling position of 45° (SEPP45). A version between vertical and each position till 45° is also possible. Any inclined SEPP can always be put vertical to change the format (motor operated).
- Thermo transfer print
- Register mark control to indicate the film position
- Film alignment
- Tape table for film change
- Trolley with a forklift function (to easily change the film roll and exchange parts)
- Vibrating module available (to optimize the filling of the bag)
- Module for gusseted bags
- Gas flushing

Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands

Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube youtube.com/niverplast



Check out our video about the **SEPP** online!



SEPP

Vertical Form
Fill Sealing

IMPROVE BUSINESS TOGETHER

SEPP


Vertical Form Fill Sealing

Let's improve your business together with SEPP. Filling vertically or 45° inclined? The choice is yours. You'll be as happy with Niverplast as we are. SEPP is a unique Vertical Form Fill and Seal packaging machine.



Challenge us!

Custom build? Extra options? That's what we do best.




5 steps

How the SEPP works



1 Film supply



2 Form shoulder



3 Length seal



4 Horizontal seals



5 Product supply

Hi, my name is Jurgen

+31 6 11 88 87 05
j.dannenberg@niverplast.com



A perfect fit for all your bag sizes.

Flexible

Can be built into any production line

Perfect fit

Suited for a wide variety of film roll sizes

Easy

Very easy to adjust and operate - even the Format shoulders



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Specifications

- Up to 1.800 bags per hour
- Interactive, intuitive operating software (available in a language of your choice)
- Easy-to-operate touch IPC
- Reliable, low maintenance and cost efficient
- Compact design with a small footprint
- Easy access for maintenance and cleaning
- Robust, completely stainless steel design
- Continuous supply to film buffer
- Impulse seal with film cutting blade
- Integrated film alignment (operated on the touchscreen)

Scan the QR code to check out the SEPP



Let's improve business together!

Together with you, we, a team of passionate qualified professionals, would love to improve your business. By working together we can provide you with high quality, innovative, easy to operate and unique packaging solutions.

We guarantee you the lowest total cost of ownership and will not stop until you, and we, are 100% satisfied. We will make you as happy with Niverplast as we are working at Niverplast.


Available options

- Removal of excessive material above the seal
- Suitable to seal barrier materials
- Completely executed in stainless steel
- Integrated box (top)taper with automatic settings
- Modified Atmosphere Packaging (MAP)
- Integrated check weigher, with reject
- Bag clipping or folding instead of sealing

Box sizes

Suited for a wide variety of box sizes

	minimum	maximum
Length (L)	300 mm (11.8")	620 mm (24.4")
Width (W)	200 mm (7.8")	450 mm (17.7")
Height (H)	60 mm (2.3")	350 mm (13.8")
Height (C)	200 mm (7.8")	500 mm (19.7")



Niverplast B.V.
Baruch Spinozastraat 2
7442 PD Nijverdal
The Netherlands

Phone +31 (0)548 538 380
E-mail info@niverplast.com
Web niverplast.com
YouTube [youtube.com/niverplast](https://www.youtube.com/niverplast)



Check out our video about the **VarioSeal** online!



VarioSeal
Bag sealing

IMPROVE BUSINESS TOGETHER

niverplast.com

VarioSeal

Bag sealing

Let's improve your business together with the VarioSeal. You'll be as happy with Niverplast as we are. We guarantee you Lowest Total Cost of Ownership. The VarioSeal is a high quality packaging solution for bag sealing.



Challenge us!

Custom build? Extra options? That's what we do best.




5 steps


How the VarioSeal works



1 Box positioning



2 Box lifting



3 Bag spreading



4 Bag sealing



5 Optional: box closing

Hi, my name is Jasper

+31 6 48 27 58 47
j.kreijkes@niverplast.com



Specifications

- Up to 13/14 boxes or crates per minute
- Add, adjust and store recipes for each box size
- No change over time, fully automatic settings
- Very compact design
- Left- or righthanded version
- On-screen HD visualisation of warnings and possible machine functions
- Reliable, low maintenance, cost efficient
- Operates stand-alone as well as in any automatic production line
- Guaranteed lowest Total Cost of Ownership

A perfect fit for all your box and bag sizes.

Full automatic

Full automatic adjustments, no manual settings

Easy

Easy and very simple to operate

Very compact design

Smallest footprint possible for bag sealing, case closing and taping



Bakery



Meat & fish



Oils & fats



Powder



Fruits & vegetables



E-commerce



Moulding



Others

Scan the QR code to check out the VarioSeal

